







# **DELMAR LINEAR DRAIN ADJUSTABLE 3" OUTLET (HIGH FLOW)**

## **Kit Includes:**

- A Lifting Key
- **B** Grate
- C Hair/Debris Strainer
- **D** Trims
- E Stainless Steel Base
- F Joiners
- **G** Leveling Legs
- H 3" Outlet
- I Threaded Nipple / Adapter
  - + Stainless Steel Cutting Blade











## **Delmar Series Features**

- 16 gauge 316 Stainless Steel Grate = 1.5 mm.
- 18 gauge 316 Stainless Steel Base = 1.2 mm.
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Grate can be removed completely for cleaning.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing pipe clogs.
- Standard Finishes: Satin and Polished.
- Delmar Series is intended for use with traditional waterproofing methods.

### Adjustable Complete Kit Satin **Polished** Length SKU SKU Wedgwire 36" 33.610.36 P HF 33.610.36 HF 48" 33.610.48 HF 33.610.48 P HF 60" 33.610.60 HF 33.610.60 P HF 72" 33.610.72 HF 33.610.72 P HF 96" 33.610.96 HF 33.610.96 P HF 36" 33.620.36 HF **Perforated** 33.620.36 P HF 48" 33.620.48 HF 33.620.48 P HF 60" 33.620.60 HF 33.620.60 P HF 72" 33.620.72 HF 33.620.72 P HF 96" 33.620.96 HF 33.620.96 P HF Mist (Tile-in) 36" 33.630.36 HF 33.630.36 P HF 48" 33.630.48 HF 33.630.48 P HF 60" 33.630.60 HF 33.630.60 P HF 72" 33.630.72 HF 33.630.72 P HF 96" 33.630.96 HF 33.630.96 P HF Kit includes - Lifting Key - Threaded Nipple/Adapter - Trims - Joiners - Grate - PVC Base - Leveling Legs - Stainless Steel Blade - 2" Outlet - Hair/Debris Strainer - Base End Cape

## Add to Kit



**Drain Flange** SKU 3"x 4" PVC Heavy Duty 83.100.14

Note: 72" and \*96" Kit includes two outlets, two hair strainers, two pair of joiners and two adapters. 96" Wedgewire Kit has two 48" grates. Choose the kit with equal or greater size than the length wanted; for longer lengths drain connect kits to build the desire length. Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or void data.